L Number	Hits	S arch T xt	DB	Tim stamp
1	49	(stream$3 r datastr am$3) with class sam p pulat$	USPAT; US-PGPUB	2004/01/22 14:10
2	49	((str am$3 r datastr am$3) with class) sam p pulat$	USPAT; US-P PUB	2004/01/22 12:58
3	11	("5301320" | "5721908" | "5737607" | "5890133" | "5907704" | "5920703" | "5953707" | "6085198" | "6092118" | "6289345" | "6295538").PN.	USPAT	2004/01/22 09:58
4	26	((stream$3 or datastream$3) and class).ti,ab. and 709/$.ccls.	USPAT; US-PGPUB	2004/01/22 10:40
5	5	("5650825" | "5768539" | "5790753" | "5978855" | "6212327").PN.	USPAT	2004/01/22 10:15
6	7	("5347653" | "5708828" | "5742818" | "5745906" | "5832275" | "5915112" | "5951638").PN.	USPAT	2004/01/22 10:20
7	5	("5925100" | "5950006" | "5987497" | "5987514" | "5995972").PN.	USPAT	2004/01/22 10:35
8	7872	(active or self-descri$) with (stream$3 or datastream$3)	USPAT; US-PGPUB	2004/01/22 13:01
9	23	(active or self-descri$) with (stream$3 or datastream$3) with class	USPAT; US-PGPUB	2004/01/22 13:00
10	1	("5949614").PN.	USPAT; US-PGPUB	2004/01/22 10:49
11	1	("6253256").PN.	USPAT; US-PGPUB	2004/01/22 12:58
12	672860	((stream$3 or datastream$3) ajd3 class)	USPAT; US-PGPUB	2004/01/22 12:59
13	951	((stream$3 or datastream$3) and class) .clm.	USPAT; US-PGPUB	2004/01/22 12:59
14	227	((stream$3 or datastream$3) and class) .ti,ab.	USPAT; US-PGPUB	2004/01/22 12:59
15	91	(((stream$3 or datastream$3) and class) .clm.) and (((stream$3 or datastream$3) and class) .ti,ab.)	USPAT; US-PGPUB	2004/01/22 12:59
16	1	(active or self-descri$) with (stream$3 or datastream$3) with class with (restor$ or reconstruct$)	USPAT; US-PGPUB	2004/01/22 14:33
17	922	((active or self-descri$) and (stream$3 or datastream$3)).ti,ab.	USPAT; US-PGPUB	2004/01/22 14:27
18	0	((((stream$3 or datastream$3) and class) .clm.) and (((stream$3 or datastream$3) and class) .ti,ab.)) and (((active or self-descri$) and (stream$3 or datastream$3)).ti,ab.)	USPAT; US-PGPUB	2004/01/22 13:02
19	44417	709/$.ccls. or 719/$.ccls. or 707/$.ccls.	USPAT; US-PGPUB	2004/01/22 14:34
20	26	(((((stream$3 or datastream$3) and class) .clm.) and (((str am$3 or datastr am$3) and class) .ti,ab.)) and (709/$.ccls. r 719/$.ccls. or 707/$.ccls.)	USPAT; US-P PUB	2004/01/22 13:29

21	14	("4506326" | "4509119" | "4604686" | "4631664" | "4642762" | "4747072" | "4769772" | "4791550" | "4811199" | "4821220" | "4841433" | "4853843" | "4866634" | "4949251").PN.	USPAT	2004/01/22 13:20
22	78	5161225.URPN.	USPAT	2004/01/22 13:21
23	751560	active datastream	USPAT; US-PGPUB	2004/01/22 13:30
24	2	active adj datastream	USPAT; US-PGPUB	2004/01/22 13:30
25	495	active adj message	USPAT; US-PGPUB	2004/01/22 13:31
26	544291	(active adj message) extract$	USPAT; US-PGPUB	2004/01/22 13:32
27	4	(active adj message) with extract$	USPAT; US-PGPUB	2004/01/22 13:32
28	1	(active adj message) with self	USPAT; US-PGPUB	2004/01/22 13:33
29	20	(active adj message).ti,ab.	USPAT; US-PGPUB	2004/01/22 13:33
30	5	("5226131" | "5241635" | "5353418" | "5442797" | "5499349").PN.	USPAT	2004/01/22 13:42
31	188	(stream$3 or datastream$3) with class	EPO; JPO; DERWENT; IBM_TDB	2004/01/22 14:11
32	0	(stream$3 or datastream$3) and class and populate	EPO; JPO; DERWENT; IBM_TDB	2004/01/22 14:13
33	24	(stream$3 or datastream$3) and class and self	EPO; JPO; DERWENT; IBM_TDB	2004/01/22 14:13
34	8	((first adj class) and (stream$3 or datastream$3)).ti,ab.	USPAT; US-PGPUB	2004/01/22 14:46
35	286	(active or self-descri$) same (stream$3 or datastream$3) same class same (restor$ or reconstruct$)	USPAT; US-PGPUB	2004/01/22 14:41
36	0	719/3.ccls.	USPAT; US-PGPUB	2004/01/22 14:34
37	3838	719/3$.ccls.	USPAT; US-PGPUB	2004/01/22 14:34
38	3	((active or self-descri$) same (stream$3 or datastream$3) same class same (restor$ or reconstruct$)) and 719/3$.ccls.	USPAT; US-PGPUB	2004/01/22 14:34
39	477	(active or self-descri$) same (stream$3 or datastream$3) same class	USPAT; US-PGPUB	2004/01/22 15:28
40	3838	719/3$.ccls. and 719/3$.ccls.	USPAT; US-PGPUB	2004/01/22 14:41
41	9	719/3$.ccls. and ((activ r s lf-d scri$) sam (str am$3 r datastream$3) sam class)	USPAT; US-P PUB	2004/01/22 14:41

42	91591	((str am$3 r datastr am$3) adj (("5301320" | "5721908" | "5737607" | "5890133" | "5907704" | "5920703" | "5953707" | "6085198" | "6092118" | "6289345" | "6295538").PN.) object).ti,ab.	USPAT; US-PGPUB	2004/01/22 14:47
43	138	((stream$3 r datastream$3) adj2 object).ti,ab.	USPAT; US-PGPUB	2004/01/22 14:47
44	7	719/3$.ccls. and (((stream$3 or datastream$3) adj2 object).ti,ab.)	USPAT; US-PGPUB	2004/01/22 14:47
45	651	((first adj class) or active) same (stream$3 or datastream$3) same class	USPAT; US-PGPUB	2004/01/22 15:29
46	58	(709/$.ccls. or 719/$.ccls. or 707/$.ccls.) and (((first adj class) or active) same (stream$3 or datastream$3) same class)	USPAT; US-PGPUB	2004/01/22 15:29
47	581	((first adj class) or active) same (stream$3 or datastream$3) same object	USPAT; US-PGPUB	2004/01/22 15:30
48	104	(709/$.ccls. or 719/$.ccls. or 707/$.ccls.) and (((first adj class) or active) same (stream$3 or datastream$3) same object)	USPAT; US-PGPUB	2004/01/22 15:30
49	165	((first adj class) or active) with (stream$3 or datastream$3) with object	USPAT; US-PGPUB	2004/01/22 15:30
50	15	(709/$.ccls. or 719/$.ccls. or 707/$.ccls.) and (((first adj class) or active) with (stream$3 or datastream$3) with object)	USPAT; US-PGPUB	2004/01/22 15:37
51	16	719/3$.ccls. and (((first adj class) or active) same (stream$3 or datastream$3) same object)	USPAT; US-PGPUB	2004/01/22 15:37
-	2540	(stream$3 or datastream$3) with class	USPAT; US-PGPUB	2004/01/21 17:01
-	404	(stream$3 or datastream$3) with class with (instance or object)	USPAT; US-PGPUB	2004/01/21 17:01
-	1	(stream$3 or datastream$3) with class with (instance or object) with populat$	USPAT; US-PGPUB	2004/01/21 17:02
-	40	(stream$3 or datastream$3) with class with (instance or object) with receiv$	USPAT; US-PGPUB	2004/01/21 17:03
-	0	(stream$3 or datastream$3) with class with (instance or object) with receiv$ with self	USPAT; US-PGPUB	2004/01/21 17:03
-	1	(stream$3 or datastream$3) with class with (instance or object) with receiv$ with identifier	USPAT; US-PGPUB	2004/01/21 17:04
-	20	((stream$3 or datastream$3) with class with (instance or object)) same send$ same receiv$	USPAT; US-PGPUB	2004/01/21 17:15
-	63	(stream$3 or datastream$3) with class same send$ same receiv$	USPAT; US-PGPUB	2004/01/22 09:51